# FINAL REPORT FOR THE SAMPLE RECEIVED IN FEBRUARY, 2010 FOR SAF F10-043

Document No.: 20100185 SDG: 222S20100185

Gerald P. Ritenour


Advanced Technologies and Laboratories International, Inc.

Date Published

March 12, 2010

Prepared for:

Prepared by:





NOV 0 3 2010

EDMC

3-12-2010

Mike Neely
CH2M Hill Plateau Remediation Co.
P.O. Box 850
Richland, WA 99352
Richland, 509-373-0654
Richland, 509-372-2

ATL, Inc. P.O. Box 250 Richland, WA 99352-0250 509-372-2742

G. P Ritenour, Project Manager

#### 222-S LABORATORY

#### FINAL REPORT FOR THE SAMPLE RECEIVED IN FEBRUARY, 2010, FOR SAF F10-043

#### 1.0 INTRODUCTION

This final report presents the result for the one ground water sample taken on February 25, 2010. The sample was analyzed in accordance with Sampling Authorization Form F10-043; 299-E28-30 Characterization Saturated Zone-Groundwater ("M" Well) (SAF) and ATL-MP-1011; ATL Quality Assurance Project Plan for 222-S Laboratory (QAPP). The following attachments are included in this report.

Attachment 1 Data Summary Report
Attachment 2 Holding Time Report
Attachment 3 Receipt Paperwork
Attachment 4 Issue Resolution Forms

#### 2.0 SAMPLE RECEIPT AND HANDLING

The sample was received on February 25, 2010, with adequate paperwork. The measured temperature of the outside of the sample container was 13 °C. This was reported to the client on the laboratory's sample receipt check list (see Attachment 3) and Issue Resolution Form No. 10-050 (see Attachment 4).

#### 3.0 ANALYTICAL RESULTS SUMMARY

The Data Summary Report (Attachment 1) present the final analytical results for those analytes requested in the SAF. The "Det Limit" column in Attachment 1 contains the method detection limit (MDL).

In Attachment 1, the column labeled "A#" indicates the aliquot class or the method used for sample preparation before analysis. For analysis without a preparation step, this column is left blank.

The "Qual Flags" column in Attachment 1 contains data qualifier flags that are defined as follows:

• "U" indicates that the reported result is less than the calculated method detection limit.

Manual calculations using rounded results from the Data Summary Report or result calculation forms may differ slightly from the actual results derived from the raw data.

#### 3.1 ANALYSES

#### 3.1.1 Hexavalent Chromium by Spectrophotometric Determination

The hexavalent chromium analysis was performed on a direct aliquot of the sample. All requirements in the SAF and OAPP were met with one exception. The low level standard

recovery was below the required 75% at 40%. Since there was a negative instrument response for this sample, it is the laboratory's opinion that data quality was not affected.

#### 4.0 PROCEDURES

Table 1 lists the analytical procedure used for analysis of this sample.

Table 1. Analytical Procedures.

Analysis	Preparation Method	Analysis Procedure
Hexavalent Chromium Analysis by	NA	SW846-7196A
Spectrophotometric Determination		

#### 5.0 REFERENCES

ATL-MP-1011, 2009, ATL Quality Assurance Project Plan for 222-S Laboratory, Rev. 9, Applied Technologies and Laboratories International, Inc., Richland, Washington.

Sampling Authorization Form F10-043; 299-E28-30 Characterization Saturated Zone-Groundwater ("M" Well), 2009, CH2M Hill, Plateau Remediation Company, Richland, Washington

Attachment 1

DATA SUMMARY REPORT

12 - Mar - 2010 10:52:37 DSRHardcopyWOLimits 2.7.26a DSR.Jar v. 2.7.26c

> WSCF - Anions & HexCr Data Summary of All Results

Sample Group: 20100185

Customer Group or SDG Number: 222S20100185

Customer Sample ID: B23PV2 Customer Sample ID: B23PV2

Sample# R	A#	CAS#	Analyte	Unit	STD %	Blank	Result	Duplicate	Average	RPD %	Spk Rec %	Det Limit	Cnt Err % Qual Flags
S10M000095		18540-29-9	Hexavalent Chromium	ug/mL	98.2	<9.00E-03	<9.70E-03	n/a	n/a	n/a	n/a	9.70E-03	n/a U

NA = Not Analyzed, ND = Not Detected

Attachment 2

HOLDING TIME REPORT

**Hold Time Report** 

SDG No.: 222S20100185

Sample Group	Sample	Matrix	Method	Prep Method	Sample Date	Received Date	Analysis Date	Missed Holding Time
20100185	S10M000095	LIQUID	CHROMIUM VI	SW846-7196	02/25/10 08:30	02/25/10 10:00	02/25/10 18:30	N

Attachment 3

RECEIPT PAPERWORK

ATL				HAIN OF CUSTODY HECKLIST LO-090-101 Rev D. D. (
Date Samples Receiv Number of Samples: Sample Custodian:	~			20100185
		Sample	Cust	odian to Complete:
Ac	ction	OK? (Y/N)	N/A	Comments
RSACOC provided?		V		·
RSR provided?				
Verify GKI is complete	×	V		on f.le
Check that outer custody	y seal is intact, if present		V	
Record cooler temperatu appropriate	ure in centigrade, as	1		☐ Check if no cooler and/or no ice 13°C
Samples are intact and i	n good condition	1		If No, provide comments on back
Verify that COC or RSA containing the following	is accurate and complete, information:			
Client name and	client sample number	V		
Date and time of	sampling	1		
Sampling location	n or origin			
Container type, s	ize, and number			
<ul> <li>Analysis request</li> </ul>	is clear			
<ul> <li>Signature of pers receiving sample</li> </ul>	ons relinquishing and s			
<ul> <li>Date and/or time exchange</li> </ul>	of sample custody			
Verify that sample numb	ers on containers match			
Samples stored properly	(e.g., refrigeration)	1		:
Notify the PM immedia	ately if any problems are	noted	. (A "N	lo" answer requires Project Manager resolution.)
			PM to	Complete:
Samples acceptable f	or release? <u> </u>		Initials	Date 2/25/200
Other Comments:				· · · · · · · · · · · · · · · · · · ·

A-6005-342 (REV 0)

CH2	MHIII Platea	u Remediation Company	CHAIN OF CUSTODY/SAMPLE ANALYSIS					REQUEST	4	F	F10-043-013 PAGE 1			OF 1
0	0	Ł	COMPANY CON DYEKMAN, DL	TACT						)R P	TURI			DATA NAROUND
			PROJECT DESI	GNATION				SAF NO.		A	IR QUALITY			dours / Days
C7515 (299-	E28-30); I-17	8 , -			Zone -	Groundwater ("M	" Well)	F10-043			PRICE CODE 1A TURN AIR QUALITY 24 H 15  METHOD OF SHIPMENT GOVERNMENT VEHICLE  NO.  work at WSCF is 401645ES20. ** The 20 pointoring Sampling and Analysis GKI applies C must be run on a sample associated with	Days		
ICE CHEST	чо.	•	HNF-N-	491-5	7 AC			COA 301396ES	10	100				
		222-5 <sub>25 21</sub>		ERTY NO.				BILL OF L	ADING/AIR B	ILL NO.				
MATRIX* A=Air DI ⇒Dnim	MATRIX*  POSSIBLE SAMPLE HAZARDS/ REMARKS  L=Drum  Contains Radioactive Material at concentrations		Cooled											
Liquids DS=Drum Solids	Goods Regu	on per 49 CFR / IATA Dangerous ulations but are not releasable per	TYPE OF CONTAINER aG			IG .								
O=Olt S=Soil	DOE Order	5400.5 (1990/1993)	NO. OF CO											
T=Tissue V=Vegetation W=Water			VOI	.UME 50	0mL									1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
WI=Wipe X∞Other	**Endius	LHANDLING AND/OR STORAGE	SAMPLE				A Commission and the Control of the Control			-				
	1323 PT	29 KS 1/28/10						The state of the s						
CONDANY CONTACT DYENAN, D. DYENDAN, D. DYE														
B23PV2		WATER	2-25-10	0830	-					HATTAC CESS AND ADMINISTRATION OF THE PARTY		ent Toubourgetown, Hz anyeather t	The special section of the section o	
510mc	20095													
CHAIN OF P	OSSESSION		SIGN/ PRIN	TNAMES				SPECIAL INSTE	RUCTIONS					
Lany Ross	E Lome Re	me 2-25-10/ 1000	efet	ob elsta	6/6	2.25.10	1000	S&GRP Charact	terization and	Monitorin	ng Sampling ar	nd Analys	is GKI applies	to this
RELINQUISH	ED BY/REMOV	ED FROM DATE/TIME	RECEIVED BY/	STORED IN		DATE/TIP	4E	13	ci					
RELINQUISHE	D BY/REMOV	ED FROM DATE/TIME	RECEIVED BY/	STORED IN		DATE/TI	1E		1	Attention	1111			
		·			The second se					UNIO	MAL		son	10111
RELINQUISHE	ED BY/REMOV	ED FROM DATE/TIME	RECEIVED BY/	STORED IN		DATE/TI	1E		<i>P</i> 4	21		183	700	5/400
RELINQUISHE	D BY/REMOV	ED FROM DATE/TIME	RECEIVED BY/	STORED IN		DATE/TIE	4E		6-	2225	20100	17.	5	
	UKT	EIVED BY	<ul> <li>A T fig. 1 to certain the server assumes a summation of the server assumes as the server as the serve</li></ul>	management and the second seco	NOTE PROPERTY AND AND	. N. y app F. N. Consequent . A		TITLE	4				DATE/TIME	
FINAL SAN	FINAL SAMPLE DISPOSAL METHOD				DISPOSED BY				The second second	DATE/TIME				

GENERAT	OR KNOWLE	DGE INFO	RMATIO	V			
I. Chain of Custody Number NA	CACN/COA NA		Customer ide	ntification N	umber NA		
2. List generator knowledge or description of process that p	produced sample. Or	list description of	of sample source	ce:			
200 Area S&GRP Characterization and	d Monitoring	Sampling a	ind Analys	sis			
MSDS Available?   No O Yes Hanford MS					:		
3. List all waste codes and constituents associated with the		was sampled, re	gardless of CE	RCLA statu	IS.		,
<ul> <li>a) Does the sample contain any of the following listed w</li> <li>By checking "unknown" the customer understand</li> </ul>		is available fo	ollowing a car	oful search			
List Federal Waste Code(s):		Constituent(s):	monning a our				•
P Codes:				O Ye	s   N	. (	Unknown
			,		_		,
U Codes:				_ O Ye	_		Unknown
K Codes:				_ O Ye	s   N	0 (	Unknown
F Codes: F001 - F005	,			_ (O Ya	s O N	0 (	Unknown
b) List applicable characteristic waste codes, flash point, pl	H, constituents, and co	oncentrations as	appropriate.				
D001: ☐ FP <100°F ☐ FP ≥100 <140°F	DOT Oxidiz	er		O Yes	<ul><li>No</li></ul>	0	Jaknowa
D002: ☐ pH ≤2 ☐ pH ≥12.5	Solid Corres	sive (WSC2)		O Yes	● No	0	Jaknowa
D003: Cyanide Sulfide Water Re			Y	O Yes	O No	0.	Jnknown
D004-D043 (Identify applicable waste codes and concern		., peroxide form plosive, air react		O Yes	<ul><li>No</li></ul>	0	Jnknown
N/A							
		٠					
<ul> <li>If characteristic, list any known underlying hazardous corpresent above the LDR treatment standard (40 CFR 268</li> </ul>		sonably expecte	d to be preser	nt, and their	concentration	ons the	t may be
N/A	,	*					
				*			
d) List any known Land Disposal Restrictions (LDR) subcat	tegories, if applicable	40 CFR 268.40	);				
N/A							•
a) List any applicable Washington State dangerous waste o	nadae: (not required if	•		•			
a) List any applicable washington State dangerous waster	federally regul	ated)	(*State mi	xture rule fo	r ignitability	)	
WT01: O Yes  No O Unknown			WP01:	O Yes	● No	0	Jnknown
WT02: O Yes O No O Unknown			WP02:	O Yes	No	0	Jaknown
W001: Yes, No Unknown			. WP03:	O Yes	● No	0	Jnknown
List constituents and concentrations:			F003:*	O Yes	● No	0	Jaknowa
N/A	0.11- 0	Water was in it	O Acorbosto B				
4. Is this material TSCA regulated for PCBs? Yes	i O No. O	Unknown (	Analysis Re	equesteo			
List concentration if applicable:							
If yes, what is the source of the PCBs? (see TSCA PCB	Hanford Site User Go	uide, DOE/RL-2 	001-50)				
-	Product Waste		former ≥500 pr		Unknown		
PCB Remediation Waste PCB R&D	Waste		minated electric	cal equipme	nt (capacito	r/balla	st) <500 ppm
☐ PCB Spill Material ☐ PCB Item		Other PCB	Waste (list) _				
	Jnknown ·						,
<ol><li>ACCURACY OF INFORMATION Based on my inquiry of those individuals immediately re-</li></ol>	consists for obtaining	this information	a that to the be	ant of musica	audadea th	a lafan	matia n
entered in this document is true, accurate, and complete		une information	i, mar io me de	oat OI my Kn	owieuge, in	חסווון	nduon ,
Print & Sign SJ TRENT/ &	4 / Noto	7		- Date	12/3/	10	
			•				

Page 1 of 1

A-6002-990 (08/03)

Attachment 4

ISSUE RESOLUTION FORMS

#### 20100185 \*

## ISSUE RESOLUTION FORM

CHPRC TRACKING NUMBER: 10-050

Date: 2/25/2010

SAF No. F10-043, F10-65, S10-012, W10-001, W10-002 SDG: 222S20100175, 176, 185, 186, 187, 188, 190

LOGIN No.: S10M000091-93 and 95-100

TEST: Anions, HexCr, & VOA

Sample No.(s) B23CW4, B23CT9, B23PV2, B24DP5, B23D19, B23D20, B23198,

B23X46

Submitted By: G. P. Ritenour

Phone No: 372-2742

Fax No.: 373-4884

Submitted To: Heidi Hampt

Phone No. 376-4319

Fax No. 373-1788

#### **ISSUE**

All samples were received outside of the recommended cooling temperatures of 4±2°C or <6°C. Except as noted below, samples were received in a bag or cooler without evidence of cooling (no ice or blue ice). For two samples, B24DP5 and B23PV, the sample custodian could not remember the exact packing configuration. For these samples temperature was 13°C.

#### PROPOSED RESOLUTION

Analyze and note in report narrative

### CHPRC/BHI/WMH/PNNL COMMENTS

Accept proposed resolution. Remember to include a copy of the IRF in the report narratives.

Heidi Hampt 3/2/10 Signature and Date